

2017 Eligible Measure Applicability (EMA) for Registry Data Submission of Individual Quality Measures

07/17/2017 Page 1 of 10

QPP Clinically Related Measure Analysis Used in EMA

Clinical Relation including an Outcome/High Priority Test of the 2017 Registry Data Submission of Individual Quality Measures

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|-------------------------------------|------------|-----------------------------|--|
| 1 | Diabetes Mellitus Foot Care | 126 | N/A | Diabetes Mellitus: Diabetic Foot and Ankle Care, Peripheral Neuropathy - Neurological Evaluation |
| | | 127 | N/A | Diabetes Mellitus: Diabetic Foot and Ankle Care, Ulcer Prevention – Evaluation of Footwear |
| 2 | Chronic Obstructive | 51 | N/A | Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation |
| | Pulmonary Disease (COPD) Care | 52 | N/A | Chronic Obstructive Pulmonary Disease (COPD): Long-Acting Inhaled Bronchodilator Therapy |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | | clinically related measur | #130, they are not subject to EMA for these res. If quality measures #51 and/or #52 are I to submit quality measure #130. |
| 3 | Asthma Care | 110 | N/A | Preventive Care and Screening: Influenza Immunization |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | 226 | N/A | Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention |
| | | 398 | Outcome | Optimal Asthma Care- Control Component |
| | | 444 | High Priority | Medication Management for People with Asthma |
| | | | for these clinically relate | #110, #130 or #226, they are not subject to EMA defined measures. If #398 and/or #444 are submitted, it ality measures 110, #130 and #226. |
| 4 | Hematology Care | 67 | N/A | Hematology: Myelodysplastic Syndrome (MDS) and Acute Leukemias: Baseline Cytogenetic Testing Performed on Bone Marrow |
| | | 68 | N/A | Hematology: Myelodysplastic Syndrome (MDS): Documentation of Iron Stores in Patients Receiving Erythropoietin Therapy |
| | | 69 | N/A | Hematology: Multiple Myeloma: Treatment with Bisphosphonates |
| | | 70 | N/A | Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry |

07/17/2017 Page 2 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title | |
|--------|---|------------|----------------------------|--|--|
| 5 | Melanoma Care | 137 | High Priority | Melanoma: Continuity of Care-Recall System | |
| | | 138 | High Priority | Melanoma: Coordination of Care | |
| | | 224 | High Priority | Melanoma: Overutilization of Imaging Studies in Melanoma | |
| 6 | Osteoporosis Care | 24 | High Priority | Communication with the Physician or Other Clinician Managing On-going Care Post-Fracture for Men and Women Aged 50 Years and Older | |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record | |
| | | 226 | N/A | Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention | |
| | | 418 | N/A | Osteoporosis Management in Women Who Had a Fracture | |
| | | | these clinically related n | submitting #130 or #226, they are not subject to EMA for lly related measures. It is expected to submit these quality #24 and/or #418 are submitted. There is no requirement to #24 and #418. | |
| 7 | Appropriate Test/Treatment for Children | 65 | High Priority | Appropriate Treatment for Children with Upper Respiratory Infection (URI) | |
| | | 66 | High Priority | Appropriate Testing for Children with Pharyngitis | |
| 8 | Acute Otitis Externa | 91 | High Priority | Acute Otitis Externa (AOE): Topical Therapy | |
| | LXIGIIIA | 93 | High Priority | Acute Otitis Externa (AOE): Systemic Antimicrobial Therapy – Avoidance of Inappropriate Use | |
| 9 | Adult Sinusitis Care | 331 | High Priority | Adult Sinusitis: Antibiotic Prescribed for Acute Sinusitis (Overuse) | |
| | | 332 | High Priority | Adult Sinusitis: Appropriate Choice of Antibiotic: Amoxicillin With or Without Clavulanate Prescribed for Patients with Acute Bacterial Sinusitis (Appropriate Use) | |
| | | 333 | High Priority | Adult Sinusitis: Computerized Tomography (CT) for Acute Sinusitis (Overuse) | |
| | | 334 | High Priority | Adult Sinusitis: More than One Computerized Tomography (CT) Scan Within 90 Days for Chronic Sinusitis (Overuse) | |

07/17/2017 Page 3 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|---------------------------------|------------|-----------------------|--|
| 10 | Pathology Breast Cancer | 99 | N/A | Breast Cancer Resection Pathology Submitting: pT Category (Primary Tumor) and pN Category (Regional Lymph Nodes) with Histologic Grade |
| | | 251 | N/A | Quantitative Immunohistochemical (IHC) Evaluation of Human Epidermal Growth Factor Receptor 2 Testing (HER2) for Breast Cancer Patients |
| 11 | Primary Open- Angle Glaucoma | 12 | N/A | Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation |
| | | 141 | Outcome | Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care |
| 12 | Age-Related Macular | 14 | N/A | Age-Related Macular Degeneration (AMD): Dilated Macular Examination |
| | Degeneration | 140 | N/A | Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement |
| 13 | Cataract Care | 191 | Outcome | Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery |
| | | 192 | Outcome | Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures |
| | | 303 | Outcome | Cataracts: Improvement in Patient's Visual Function within 90 Days Following Cataract Surgery |
| | | 304 | Outcome | Cataracts: Patient Satisfaction within 90 Days following Cataract Surgery |
| | | 388 | Outcome | Cataract Surgery with Intra-Operative Complications (Unplanned Rupture of Posterior Capsule requiring unplanned vitrectomy) |
| | | 389 | Outcome | Cataract Surgery: Difference Between Planned and Final Refraction |
| 14 | Adult Renal Disease Care | 110 | N/A | Preventive Care and Screening: Influenza Immunization |
| | | 122 | Intermediate Outcome | Adult Kidney Disease: Blood Pressure Management |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | 226 | N/A | Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention |
| | _ | | | |

07/17/2017 Page 4 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|---|------------|-----------------------------|---|
| | | | for these clinically relate | #110, #130 or #226, they are not subject to EMA red measures. If quality measure #122 is submitted, quality measures #110, #130 and #226. |
| 15 | Adult Renal Catheter Care | 329 | Outcome | Adult Kidney Disease: Catheter Use at Initiation of Hemodialysis |
| | | 330 | Outcome | Adult Kidney Disease: Catheter Use for Greater Than or Equal to 90 Days |
| 16 | Pediatric Kidney Disease Care | 327 | High Priority | Pediatric Kidney Disease: Adequacy of Volume Management |
| | | 328 | Intermediate Outcome | Pediatric Kidney Disease: ESRD Patients Receiving Dialysis: Hemoglobin Level < 10g/dL |
| 17 | Perioperative Care | 21 | High Priority | Perioperative Care: Selection of Prophylactic Antibiotic – First OR Second Generation Cephalosporin |
| | | 23 | High Priority | Perioperative Care: Venous Thromboembolism (VTE) Prophylaxis (When Indicated in ALL Patients) |
| 18 | Coronary Artery Bypass Graft Care | 165 | Outcome | Coronary Artery Bypass Graft (CABG): Deep Sternal Wound Infection Rate |
| | | 166 | Outcome | Coronary Artery Bypass Graft (CABG): Stroke |
| | | 167 | Outcome | Coronary Artery Bypass Graft (CABG): Postoperative Renal Failure |
| | | 168 | Outcome | Coronary Artery Bypass Graft (CABG): Surgical Re-Exploration |
| | | 445 | Outcome | Risk-Adjusted Operative Mortality for Coronary Artery Bypass Graft (CABG) |
| 19 | Endoscopy and Polyp Surveillance | 185 | High Priority | Colonoscopy Interval for Patients with a History of Adenomatous Polyps – Avoidance of Inappropriate Use |
| | | 320 | High Priority | Appropriate Follow-Up Interval for Normal Colonoscopy in Average Risk Patients |
| | | 439 | High Priority | Age Appropriate Screening Colonoscopy |
| 20 | Urinary Incontinence Care | 48 | N/A | Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older |
| | | 50 | High Priority | Urinary Incontinence: Plan of Care for Urinary Incontinence in Women Aged 65 Years and Older |

07/17/2017 Page 5 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|---------------------------|------------|---------------------------|--|
| 21 | Coronary Disease Care | 6 | N/A | Coronary Artery Disease (CAD): Antiplatelet Therapy |
| | | 7 | N/A | Coronary Artery Disease (CAD): Beta-Blocker Therapy - Prior Myocardial Infarction (MI) or Left Ventricular Systolic Dysfunction (LVEF < 40%) |
| | | 118 | N/A | Coronary Artery Disease (CAD): Angiotensin- Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy - Diabetes or Left Ventricular Systolic Dysfunction (LVEF < 40%) |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | 226 | N/A | Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention |
| | | | clinically related measur | #130 or #226 they are not subject to EMA for these es. If quality measures #6, #7, and/or #118 are to submit quality measures #130 and #226. |
| 22 | Heart Failure Care | 5 | N/A | Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD) |
| | | 8 | N/A | Heart Failure (HF): Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD) |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | | <u> </u> | #130, it is not subject to EMA for these clinically and/or #8 are submitted, it is expected to submit |
| 23 | Cardiac Stress Imaging | 322 | High Priority | Cardiac Stress Imaging Not Meeting Appropriate Use Criteria: Preoperative Evaluation in Low Risk Surgery Patients |
| | | 323 | High Priority | Cardiac Stress Imaging Not Meeting Appropriate Use Criteria: Routine Testing After Percutaneous Coronary Intervention (PCI) |
| | | 324 | High Priority | Cardiac Stress Imaging Not Meeting Appropriate Use Criteria: Testing in Asymptomatic, Low Risk Patients |
| 24 | Breast Surgery Care | 262 | High Priority | Image Confirmation of Successful Excision of Image-Localized Breast Lesion |

07/17/2017 Page 6 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|--------------------------|------------|------------------------------|---|
| | | 263 | N/A | Preoperative Diagnosis of Breast Cancer |
| | | 264 | N/A | Sentinel Lymph Node Biopsy for Invasive Breast Cancer |
| 25 | Retinal Care | 384 | Outcome | Adult Primary Rhegmatogenous Retinal Detachment Surgery: No Return to the Operating Room Within 90 Days of Surgery |
| | | 385 | Outcome | Adult Primary Rhegmatogenous Retinal Detachment Surgery: Visual Acuity Improvement Within 90 Days of Surgery |
| 26 | Heart Rhythm Care | 348 | Outcome | HRS-3: Implantable Cardioverter-Defibrillator (ICD) Complications Rate |
| | | 392 | Outcome | HRS-12: Cardiac Tamponade and/or Pericardiocentesis Following Atrial Fibrillation Ablation |
| | | 393 | Outcome | HRS-9: Infection within 180 Days of Cardiac Implantable Electronic Device (CIED) Implantation, Replacement, or Revision |
| 27 | Pathology Lung Cancer | 395 | Outcome | Lung Cancer Reporting (Biopsy/Cytology Specimens) |
| | | 396 | Outcome | Lung Cancer Reporting (Resection Specimens) |
| 28 | Colonoscopy Care | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | 425 | N/A | Photodocumentation of Cecal Intubation |
| _ | | _ | | #130, it is not subject to EMA for these clinically ality measure #425 is submitted, it is expected to |
| 29 | Gynecological Care | 422 | High Priority | Performing Cystoscopy at the time of Hysterectomy for Pelvic Organ Prolapse to Detect Lower Urinary Tract Injury |
| | | 432 | Outcome | Proportion of Patients Sustaining a Bladder Injury at the Time of any Pelvic Organ Prolapse Repair |
| | | 433 | Outcome | Proportion of Patients Sustaining a Bowel Injury at the time of any Pelvic Organ Prolapse Repair |
| | | 434 | Outcome | Proportion of Patients Sustaining A Ureter Injury at the Time of any Pelvic Organ Prolapse Repair |
| 30 | Headache Care | 419 | High Priority | Overuse of Neuroimaging for Patients with Primary Headache And a Normal Neurological Examination |
| | | 435 | Outcome | Quality of Life Assessment For Patients With Primary Headache Disorders |
| 31 | Anesthesiology Care | 424 | Outcome | Perioperative Temperature Management |

07/17/2017 Page 7 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|-------------------|---------------|------------------------------|---|
| | | 426 | High Priority | Post-Anesthetic Transfer of Care Measure: Procedure Room to a Post Anesthesia Care Unit (PACU) |
| | | 427 | High Priority | Post-Anesthetic Transfer of Care Measure: Use of Checklist or Protocol for Direct Transfer of Care from Procedure Room to Intensive Care Unit (ICU) |
| | | 430 | High Priority | Prevention of Post-Operative Nausea and Vomiting (PONV) – Combination Therapy |
| | | | • | ally related measures, the expectation is that either |
| | | , , | • | 130 OR #424, #427 and #430 would be submitted. measures #426 and #427 would be submitted |
| 32 | Opioid Care | 408 | N/A | Chronic Opioid Therapy Follow-up Evaluation |
| | | 412 | N/A | Documentation of Signed Opioid Treatment Agreement |
| | | 414 | N/A | Evaluation or Interview for Risk of Opioid Misuse |
| 33 | Palliative Care | 47 | High Priority | Care Plan |
| | | 134 | N/A | Preventive Care and Screening: Screening for Depression and Follow-Up Plan |
| | | 342 | Outcome | Pain Brought Under Control Within 48 Hours |
| | | clinically re | • | #134, they are not subject to EMA for these is submitted, it is expected to submit quality |
| 34 | Preventive Care | 112 | N/A | Breast Cancer Screening |
| | | 113 | N/A | Colorectal Cancer Screening |
| | | 130 | High Priority | Documentation of Current Medications in the Medical Record |
| | | 317 | N/A | Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented |
| | | related mea | sures. It is expected to s | 7, they are not subject to EMA for these clinically ubmit these quality measures if #112 and/or #113 and to submit both #112 and #113. |
| 35 | Immunization Care | e 110 | N/A | Preventive Care and Screening: Influenza Immunization |
| | | 111 | N/A | Pneumococcal Vaccination Status for Older |

07/17/2017 Page 8 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|---|------------|-----------------------|--|
| 36 | Parkinson's Disease | 290 | N/A | Parkinson's Disease: Psychiatric Symptoms Assessment for Patients with Parkinson's Disease |
| | | 291 | N/A | Parkinson's Disease: Cognitive Impairment or Dysfunction Assessment |
| | | 293 | High Priority | Parkinson's Disease: Rehabilitative Therapy Options |
| | | 294 | High Priority | Parkinson's Disease: Parkinson's Disease Medical and Surgical Treatment Options Reviewed |
| 37 | Cancer End of Life | 453 | High Priority | Proportion Receiving Chemotherapy in the Last 14 Days of Life |
| | | 454 | Outcome | Proportion of Patients who Died from Cancer with more than One Emergency Department Visit in the Last 30 Days of Life |
| | | 455 | Outcome | Proportion Admitted to the Intensive Care Unit (ICU) in the Last 30 Days of Life |
| | | 456 | High Priority | Proportion Not Admitted To Hospice |
| 38 | Optimizing Patient Exposure to Ionizing Radiation | 000 | High Priority | Optimizing Patient Exposure to Ionizing Radiation: Utilization of a Standardized Nomenclature for Computed Tomography (CT) Imaging Description |
| | | 360 | High Priority | Optimizing Patient Exposure to Ionizing Radiation: Count of Potential High Dose Radiation Imaging Studies: Computed Tomography (CT) and Cardiac Nuclear Medicine Studies |
| | | 361 | High Priority | Optimizing Patient Exposure to Ionizing Radiation: Reporting to a Radiation Dose Index Registry |
| 39 | Total Knee Replacement | 350 | High Priority | Total Knee Replacement: Shared Decision- Making: Trial of Conservative (Non-surgical) Therapy |
| | | 351 | High Priority | Total Knee Replacement: Venous Thromboembolic and Cardiovascular Risk Evaluation |
| | | 352 | High Priority | Total Knee Replacement: Preoperative Antibiotic Infusion with Proximal Tourniquet |

07/17/2017 Page 9 of 10

| Number | Title | Quality ID | Outcome/High Priority | Quality Measure Title |
|--------|-------------------------------|------------|-----------------------|---|
| | | 353 | High Priority | Total Knee Replacement: Identification of Implanted Prosthesis in Operative Report |
| 40 | Inflammatory Bowel Disease | 271 | N/A | Inflammatory Bowel Disease (IBD): Preventive Care: Corticosteroid Related latrogenic Injury – Bone Loss Assessment |
| | | 275 | N/A | Inflammatory Bowel Disease (IBD): Assessment of Hepatitis B Virus (HBV) Status Before Initiating Anti-TNF (Tumor Necrosis Factor) |
| 41 | Dementia | 282 | N/A | Dementia: Functional Status Assessment |
| | | 283 | N/A | Dementia: Neuropsychiatric Symptom Assessment |
| | | 286 | High Priority | Dementia: Counseling Regarding Safety Concerns |
| | | 288 | High Priority | Dementia: Caregiver Education and Support |

07/17/2017 Page 10 of 10