

**Quality ID #70: Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry**  
– National Quality Strategy Domain: Effective Clinical Care  
– Meaningful Measure Area: Management of Chronic Conditions

**2019 COLLECTION TYPE:**  
**MIPS CLINICAL QUALITY MEASURES (CQMS)**

**MEASURE TYPE:**  
Process

**DESCRIPTION:**  
Percentage of patients aged 18 years and older, seen within a 12-month reporting period, with a diagnosis of chronic lymphocytic leukemia (CLL) made at any time during or prior to the reporting period who had baseline flow cytometry studies performed and documented in the chart

**INSTRUCTIONS:**  
This measure is to be submitted a minimum of **once per performance period** for all chronic lymphocytic leukemia (CLL) patients seen during the performance period, regardless of when the diagnosis of CLL is made; the quality action being measured is that the baseline flow cytometry study occurred for each patient with CLL at the time of diagnosis or prior to initiating treatment. It is anticipated that Merit-based Incentive Payment System (MIPS) eligible clinicians who provide services for patients with the diagnosis of chronic lymphocytic leukemia (not in remission) will submit this measure.

**Measure Submission Type:**  
Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

**DENOMINATOR:**  
All patients aged 18 years and older, seen within a 12-month reporting period, with a diagnosis of chronic lymphocytic leukemia (CLL) made at any time during or prior to the performance period

**DENOMINATOR NOTE:** *\*Signifies that this CPT Category I code is a non-covered service under the Medicare Part B Physician Fee Schedule (PFS). These non-covered services should be counted in the denominator population for MIPS CQMs.*

**Denominator Criteria (Eligible Cases):**

Patients aged ≥ 18 years on date of encounter

**AND**

**Diagnosis for CLL – not in remission (ICD-10-CM):** C91.10, C91.12

**AND**

**Patient encounter during the performance period (CPT):** 99201, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99241\*, 99242\*, 99243\*, 99244\*, 99245\*

**WITHOUT**

**Telehealth Modifier:** GQ, GT, 95, POS 02

**NUMERATOR:**  
Patients who had baseline flow cytometry studies performed and documented in the chart

**Definition:**

**Baseline Flow Cytometry Studies** – Refer to testing that is performed at time of diagnosis or prior to initiating treatment for that diagnosis. Treatment may include anti-neoplastic therapy.

**NUMERATOR NOTE:** *Denominator Exception(s) are determined at the time of the diagnosis of CLL or prior to initiating treatment.*

**Numerator Options:**

***Performance Met:***

Flow cytometry studies performed at time of diagnosis or prior to initiating treatment **(3170F)**

**OR**

***Denominator Exception:***

Documentation of medical reason(s) for not performing baseline flow cytometry studies **(3170F with 1P)**

**OR**

***Denominator Exception:***

Documentation of patient reason(s) for not performing baseline flow cytometry studies (eg, receiving palliative care or not receiving treatment as defined above) **(3170F with 2P)**

**OR**

***Denominator Exception:***

Documentation of system reason(s) for not performing baseline flow cytometry studies (eg, patient previously treated by another physician at the time baseline flow cytometry studies were performed) **(3170F with 3P)**

**OR**

***Performance Not Met:***

Flow cytometry studies not performed at time of diagnosis or prior to initiating treatment, reason not otherwise specified **(3170F with 8P)**

**RATIONALE:**

Due to the distinct pattern of protein antigens expressed in CLL, flow cytometry should be performed in order to confirm the diagnosis, correctly characterize the pathological cells, and determine prognosis. In some instances, flow cytometry may also offer additional therapeutically relevant information. (DiGiuseppe JA, Borowitz MJ. Clinical utility of flow cytometry studies in the chronic lymphoid leukemias. *Semin Oncol.* 1998;25(1):6-10.)

**CLINICAL RECOMMENDATION STATEMENTS:**

The following clinical recommendation statements are quoted verbatim from the referenced clinical guidelines:

Adequate immunophenotyping is essential to establish the diagnosis of CLL/SLL. Flow cytometry of peripheral blood is adequate for the diagnosis of CLL, and bone marrow biopsy is generally not required. (Category 2A Recommendation) (NCCN, 2018)

**COPYRIGHT:**

The Measure is not a clinical guideline, does not establish a standard of medical care, and has not been tested for all potential applications.

The Measure, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measure for commercial gain, or incorporation of this Measure into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measure require a license agreement between the user and the PCPI® Foundation (PCPI®) or American Society of Hematology (ASH). Neither ASH, nor the American Medical Association (AMA), nor the

former AMA-convened Physician Consortium for Performance Improvement® (AMA-PCPI), nor PCPI, nor their members shall be responsible for any use of the Measure.

**The AMA's and AMA-PCPI's significant past efforts and contributions to the development and updating of the Measure is acknowledged. ASH is solely responsible for the review and enhancement ("Maintenance") of the Measure as of August 15, 2014.**

ASH encourages use of the Measure by other health care professionals, where appropriate.


**THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.**

© 2018 PCPI® Foundation and American Society of Hematology. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. ASH, the AMA, the PCPI and its members and former members of the AMA-PCPI disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2018 American Medical Association. LOINC® copyright 2004-2018 Regenstrief Institute, Inc. SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2018 The International Health Terminology Standards Development Organisation. ICD-10 is copyright 2018 World Health Organization. All Rights Reserved.

**2019 Clinical Quality Measure Flow for Quality ID #70 NQF #0379:  
Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry**



**SAMPLE CALCULATIONS:**

Data Completeness =  
 Performance Met (a=40 patients) + Denominator Exception (b¹+b²+b³=10 patients) + Performance Not Met (c=20 patients) = 70 patients = 87.50%  
 Eligible Population / Denominator (d=80 patients) = 80 patients

Performance Rate =  

$$\frac{\text{Performance Met (a=40 patients)}}{\text{Data Completeness Numerator (70 patients) - Denominator Exception (b¹+b²+b³=10 patients)}} = \frac{40 \text{ patients}}{60 \text{ patients}} = 66.67\%$$

\*See the posted Measure Specification for specific coding and instructions to submit this measure  
 NOTE: Submission Frequency: Patient-process

CPT only copyright 2018 American Medical Association. All rights reserved.  
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

**2019 Clinical Quality Measure Flow Narrative for Quality ID #70:  
Hematology: Chronic Lymphocytic Leukemia (CLL): Baseline Flow Cytometry**

Please refer to the specific section of the specification to identify the denominator and numerator information for use in submitting this Individual Specification.

1. Start with Denominator
2. Check Patient Age:
  - a. If Patient Age is greater than or equal to 18 Years on Date of Encounter equals No during the measurement period, do not include in Eligible Population. Stop Processing.
  - b. If Patient Age is greater than or equal to 18 Years on Date of Encounter equals Yes during the measurement period, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
  - a. If Diagnosis of CLL (Not in Remission) as Listed in the Denominator equals No, do not include in Eligible Population. Stop Processing.
  - b. If Diagnosis of CLL (Not in Remission) as Listed in the Denominator equals Yes, proceed to check Encounter Performed.
4. Check Encounter Performed:
  - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Population. Stop Processing.
  - b. If Encounter as Listed in the Denominator equals Yes, proceed to check Telehealth Modifier.
5. Check Telehealth Modifier:
  - a. If Telehealth Modifier equals Yes, do not include in Eligible Population. Stop Processing.
  - b. If Telehealth Modifier equals No, include in Eligible Population.
6. Denominator Population:
  - a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
7. Start Numerator
8. Check Flow Cytometry Studies Performed at Time of Diagnosis or Prior to Initiating Treatment:
  - a. If Flow Cytometry Studies Performed at Time of Diagnosis or Prior to Initiating Treatment equals Yes, include in Data Completeness Met and Performance Met.
  - b. Data Completeness Met and Performance Met letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 patients in the Sample Calculation.

- c. If Flow Cytometry Studies Performed at Time of Diagnosis or Prior to Initiating Treatment equals No, proceed to check Documentation of Medical Reason(s) for Not Performing Baseline Flow Cytometry Studies.
9. Check Documentation of Medical Reason(s) for Not Performing Baseline Flow Cytometry Studies:
  - a. If Documentation of Medical Reason(s) for Not Performing Baseline Flow Cytometry Studies equals Yes, include in Data Completeness Met and Denominator Exception.
  - b. Data Completeness Met and Denominator Exception letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b<sup>1</sup> equals 10 patients in the Sample Calculation.
  - c. If Documentation of Medical Reason(s) for Not Performing Baseline Flow Cytometry Studies equals No, proceed to check Documentation of Patient Reason(s) for Not Performing Baseline Flow Cytometry Studies.
10. Check Documentation of Patient Reason(s) for Not Performing Baseline Flow Cytometry Studies:
  - a. If Documentation of Patient Reason(s) for Not Performing Baseline Flow Cytometry Studies equals Yes, include in Data Completeness Met and Denominator Exception.
  - b. Data Completeness Met and Denominator Exception letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b<sup>2</sup> equals 0 patients in the Sample Calculation.
  - c. If Documentation of Patient Reason(s) for Not Performing Baseline Flow Cytometry Studies equals No, proceed to check Documentation of System Reason(s) for Not Performing Baseline Flow Cytometry Studies.
11. Check Documentation of System Reason(s) for Not Performing Baseline Flow Cytometry Studies:
  - a. If Documentation of System Reason(s) for Not Performing Baseline Flow Cytometry Studies equals Yes, include in Data Completeness Met and Denominator Exception.
  - b. Data Completeness Met and Denominator Exception letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b<sup>3</sup> equals 0 patients in the Sample Calculation.
  - c. If Documentation of System Reason(s) for Not Performing Baseline Flow Cytometry Studies equals No, proceed to check Flow Cytometry Studies Not Performed at Time of Diagnosis or Prior to Initiating Treatment, Reason Not Otherwise Specified.
12. Check Flow Cytometry Studies Not Performed at Time of Diagnosis or Prior to Initiating Treatment, Reason Not Otherwise Specified:
  - a. If Flow Cytometry Studies Not Performed at Time of Diagnosis or Prior to Initiating Treatment, Reason Not Otherwise Specified equals Yes, include in Data Completeness Met and Performance Not Met.
  - b. Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 20 patients in the Sample Calculation.

- c. If Flow Cytometry Studies Not Performed at Time of Diagnosis or Prior to Initiating Treatment, Reason Not Otherwise Specified equals No, proceed to check Data Completeness Not Met.

13. Check Data Completeness Not Met:

- a. If Data Completeness Not Met, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

**SAMPLE CALCULATION:**

**Data Completeness=**  
$$\frac{\text{Performance Met (a=40 patients)} + \text{Denominator Exception (b}^1+\text{b}^2+\text{b}^3=10 \text{ patients)} + \text{Performance Not Met (c=20 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

**Performance Rate=**  
$$\frac{\text{Performance Met (a=40 patients)}}{\text{Data Completeness Numerator (70 patients) - Denominator Exception (b}^1+\text{b}^2+\text{b}^3=10 \text{ patients)}} = \frac{40 \text{ patients}}{60 \text{ patients}} = 66.67\%$$