# Quality ID #155 (NQF 0101): Falls: Plan of Care – National Quality Strategy Domain: Communication and Care Coordination – Meaningful Measure Area: Preventable Healthcare Harm

#### 2021 COLLECTION TYPE: MIPS CLINICAL QUALITY MEASURES (CQMS)

### **MEASURE TYPE:**

Process – High Priority

This is a two-part measure which is paired with Measure #154: Falls: Risk Assessment.

This measure may be submitted if CPT II code 1100F "Patient screened for future falls risk; documentation of two or more falls in the past year or any fall with injury in the past year" is submitted for Measure #154.

#### **DESCRIPTION:**

Percentage of patients aged 65 years and older with a history of falls that had a plan of care for falls documented within 12 months

#### **INSTRUCTIONS:**

This measure is to be submitted a minimum of **once per performance period** for patients seen during the performance period. There is no diagnosis associated with this measure. This measure is appropriate for use in all non-acute settings (with the exception of emergency departments and acute care hospitals). This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

**NOTE:** Patient encounters for this measure conducted via telehealth (e.g., encounters coded with GQ, GT, 95, or POS 02 modifiers) are allowable.

#### Measure Submission Type:

Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

#### **DENOMINATOR:**

All patients aged 65 years and older with a history of falls (history of falls is defined as 2 or more falls in the past year or any fall with injury in the past year). Documentation of patient reported history of falls is sufficient

#### Denominator Criteria (Eligible Cases):

Patients aged  $\geq$  65 years on date of encounter

<u>AND</u> Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in the past year: 1100F

<u>and</u>

Patient encounter during the performance period (CPT or HCPCS): 92540, 92541, 92542, 92548, 97161, 97162, 97163, 97164, 97165, 97166, 97167, 97168, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

# <u>AND NOT</u> <u>DENOMINATOR EXCLUSIONS:</u>

Hospice services for patient occurred any time during the measurement period: G9720

# NUMERATOR:

Patients with a plan of care for falls documented within 12 months

#### **Definitions:**

Plan of Care - Must include: balance, strength, and gait training.

**Balance, Strength, and Gait Training** – Medical record must include: documentation that balance, strength, and gait training/instructions were provided OR referral to an exercise program, which includes at least one of the three components: balance, strength or gait OR referral to physical therapy.

**Fall** – A sudden, unintentional change in position causing an individual to land at a lower level, on an object, the floor, or the ground, other than as a consequence of sudden onset of paralysis, epileptic seizure, or overwhelming external force.

## **Numerator Instructions:**

All components do not need to be completed during one patient visit, but should be documented in the medical record as having been performed within the past 12 months.

Numerator Options: Performance Met:	Falls plan of care documented (0518F)
Denominator Exception:	Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair or minimal help in wheelchair (0518F <i>with</i> 1P)
Performance Not Met:	Falls plan of care not documented, reason not otherwise specified (0518F <i>with</i> 8P)

## RATIONALE:

OR

OR

Interventions to prevent future falls should be documented for the patient with 2 or more falls or injurious falls.

## **CLINICAL RECOMMENDATION STATEMENTS:**

The USPSTF recommends exercise or physical therapy to prevent falls in community-dwelling adults aged 65 years or older who are at increased risk for falls.

Grade: B Recommendation.

The AGS 2010 Clinical Practice Guidelines Recommend:

Multifactorial/Multicomponent Interventions to Address Identified Risk(s) and Prevent Falls

- 1. A strategy to reduce the risk of falls should include multifactorial assessment of known fall risk factors and management of the risk factors identified. [A]
- 2. The components most commonly included in efficacious interventions were:
  - a. Adaptation or modification of home environment [A]
  - b. Withdrawal or minimization of psychoactive medications [B]
  - c. Withdrawal or minimization of other medications [C]
  - d. Management of postural hypotension [C]
  - e. Management of foot problems and footwear [C]
  - f. Exercise, particularly balance, strength, and gait training [A]
- 3. All older adults who are at risk of falling should be offered an exercise program incorporating balance, gait, and strength training. Flexibility and endurance training should also be offered, but not as sole components of the program. [A]
- 4. Multifactorial/multicomponent intervention should include an education component complementing and

addressing issues specific to the intervention being provided, tailored to individual cognitive function and language. [C]

5. The health professional or team conducting the fall risk assessment should directly implement the interventions or should assure that the interventions are carried out by other qualified healthcare professionals.[A]

# **COPYRIGHT:**

This Physician Performance Measure (Measure) and related data specifications were developed by the former PCPI® Foundation (PCPI®) and the National Committee for Quality Assurance (NCQA). Neither the American Medical Association (AMA) or NCQA shall be responsible for any use of the Measure. The Measure is not a clinical guideline and does not establish a standard of medical care and has not been tested for all potential applications.

# THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

The AMA and NCQA make no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications.

The Measure can be reproduced and distributed, without modification, for noncommercial purposes (e.g., use by healthcare providers in connection with their practices) without obtaining approval from NCQA. Commercial use is defined as the sale, licensing, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain. All commercial uses or requests for modification must be approved by NCQA and are subject to a license at the discretion of NCQA.

©2012-2020 National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. The AMA and NCQA disclaim all liability for use or accuracy of any third party codes contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2020 American Medical Association. LOINC® copyright 2004-2020 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2020 International Health Terminology Standards Development Organisation. ICD-10 copyright 2020 World Health Organization. All Rights Reserved.

#### 2021 Clinical Quality Measure Flow for Quality ID #155 (NQF 0101): Falls: Plan of Care





SAMPLE CALCULATIONS		
Data Completeness= <u>Performance Met (a=40 patients) + Denominator Exception (b=10 patients) + Perform</u> Eligible Population / Denominator (d=80 patients)	ance Not Met (c=20 patients) = 70 patients = 87.50% = 80 patients	
Performance Rate= Performance Met (a=40 patients) Data Completeness Numerator (70 patients) – Denominator Exception (b=10 patients)	_ = <u>40 patients</u> = <b>66.67%</b> ) = 60 patients	
	,	

\* See the posted measure specification for specific coding and instructions to submit this measure.
\*\* Submitting measure #154 is a precursor for submitting this measure. Patients where 1100F without modifier or equivalent (documentation of 2 or more falls or any fall with injury in past year) is submitted in measure #154 are pulled into the denominator for measure #155.
NOTE: Submission Frequency: Patient-Process

CPT only copyright 2020 American Medical Association. All rights reserved. The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification. v5

# 2021 Clinical Quality Measure Flow Narrative for Quality ID#155 (NQF #0101): Falls: Plan of Care

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.

- 1. Start with Denominator
- 2. Check Patients aged greater than or equal to 65 on date of encounter.
  - a. If Patients aged greater than or equal to 65 on date of encounter equals No, do not include in Eligible Population/Denominator. Stop processing.
  - b. If Patients aged greater than or equal to 65 on date of encounter equals Yes, proceed to Patient screened for future fall risk; documentation of 2 or more falls in the past year or any fall with injury in the past year.
- 3. Check to Patient screened for future fall risk; documentation of 2 or more falls in the past year or any fall with injury in the past year:
  - a. If to Patient screened for future fall risk; documentation of 2 or more falls in the past year or any fall with injury in the past year equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If to Patient screened for future fall risk; documentation of 2 or more falls in the past year or any fall with injury in the past year equals Yes, proceed to Patient encounter during the performance period as listed in the Denominator\*.
- 4. Check Patient encounter during the performance period as listed in the Denominator\*:
  - a. If *Patient encounter during the performance period as listed in the Denominator*\* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If Patient encounter during the performance period as listed in the Denominator\* equals Yes, proceed to Hospice services for patient occurred any time during the measurement period.
- 5. Check Hospice services for patient occurred any time during the measurement period:
  - a. If Hospice services for patient occurred any time during the measurement period equals No, include in *Eligible Population/Denominator*.
  - b. If *Hospice services for patient occurred any time during the measurement period* equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
- 6. Denominator Population:
  - Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
- 7. Start Numerator
- 8. Check Falls plan of care documented:
  - a. If Falls plan of care documented equals Yes, include in Data Completeness Met and Performance Met.

- Data Completeness Met and Performance Met letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 patients in Sample Calculation.
- b. If Falls plan of care documented equals No, proceed to Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair, or minimal help in wheelchair.
- 9. Check Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair, or minimal help in wheelchair.
  - a. If Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair, or minimal help in wheelchair equals Yes, include in Data Completeness Met and Denominator Exception.
    - Data Completeness Met and Denominator Exception letter is represented as Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 10 patients in Sample Calculation.
  - b. If Patient not ambulatory, bed ridden, immobile, confined to chair, wheelchair bound, dependent on helper pushing wheelchair, independent in wheelchair, or minimal help in wheelchair equals No, proceed to Falls plan of care not documented, reason not otherwise specified.
  - 10. Check Falls plan of care not documented, reason not otherwise specified:
    - a. If Falls plan of care not documented, reason not otherwise specified equals Yes, include in the Data Completeness Met and Performance Not Met.
      - Data Completeness Met and Performance Not Met letter is represented as Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 20 patients in the Sample Calculation.
    - b. If Falls plan of care not documented, reason not otherwise specified equals No, proceed to Data Completeness Not Met.
  - 11. Check Data Completeness Not Met:
    - a. If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

## Sample Calculations:

Data Completeness equals Performance Met (a equals 40 patients) plus Denominator Exception (b equals 10 patients) plus Performance Not Met (c equals 20 patients) divided by Eligible Population / Denominator (d equals 80 patients). All equals 70 patients divided by 80 patients. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 40 patients) divided by Data Completeness Numerator (70 patients) minus Denominator Exception (b equals 10 patients). All equals 40 patients divided by 60 patients. All equals 66.67 percent.

\*See the posted measure specification for specific coding and instructions to submit this measure.

\*\* Submitting measure #154 is a precursor for submitting this measure. Patients where 1100F without modifier or equivalent (documentation of 2 or more falls or any fall with injury in past year) is submitted in measure #154 are pulled into the denominator for measure #155.

NOTE: Submission Frequency: Patient-process

Version 5.0 November 2020 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.