Quality ID #48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

# **2024 COLLECTION TYPE:**

MIPS CLINICAL QUALITY MEASURES (CQMS)

# **MEASURE TYPE:**

**Process** 

#### **DESCRIPTION:**

Percentage of female patients aged 65 years and older who were assessed for the presence or absence of urinary incontinence within 12 months.

#### **INSTRUCTIONS:**

This measure is to be submitted a minimum of <u>once per performance period</u> for patients seen during the performance period. This measure is appropriate for use in the ambulatory setting only and is considered a general screening measure. There is no diagnosis associated with this measure. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

**NOTE:** Patient encounters for this measure conducted via telehealth (including but not limited to encounters coded with GQ, GT, 95, POS 02, POS 10) are allowable.

# Measure Submission Type:

Measure data may be submitted by individual MIPS eligible clinicians, groups, or third-party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third-party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third-party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

## **DENOMINATOR:**

All female patients aged 65 years and older with a visit during the measurement period

# **Denominator Criteria (Eligible Cases):**

All female patients aged ≥ 65 years on date of encounter

#### AND

Patient encounter during the performance period (CPT or HCPCS): 97161, 97162, 97163, 97164, 97165, 97166, 97167, 97168, 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, G0402

AND NOT

# **DENOMINATOR EXCLUSION:**

Patient use of hospice services any time during the measurement period: G9693

#### **NUMERATOR:**

Patients who were assessed for the presence or absence of urinary incontinence within 12 months

#### <u>Definition:</u>

**Urinary Incontinence** – Any involuntary leakage of urine.

**Numerator Options:** 

Performance Met: Presence or absence of urinary incontinence assessed

(1090F)

OR

Performance Not Met: Presence or absence of urinary incontinence not assessed,

reason not otherwise specified (1090F with 8P)

# **RATIONALE:**

Female patients may not volunteer information regarding incontinence, so they should be asked by their physician.

#### **CLINICAL RECOMMENDATION STATEMENTS:**

Strategies to increase recognition and reporting of urinary incontinence (UI) are required and especially the perception that it is an inevitable consequence of aging for which little or nothing can be done. (ICI)

Patients with urinary incontinence should undergo a basic evaluation that includes a history, physical examination, measurement of post-void residual volume, and urinalysis. (ACOG) (Level C)

Health care providers should be able to initiate evaluation and treatment of UI basing their judgment on the results of history, physical examination, post-voiding residual and urinalysis. (ICI) (Grade

#### **COPYRIGHT:**

This Physician Performance Measure (Measure) and related data specifications were developed by the former PCPI® Foundation (PCPI®) and the National Committee for Quality Assurance (NCQA). Neither the American Medical Association (AMA) or NCQA shall be responsible for any use of the Measure. The Measure is not a clinical guideline and does not establish a standard of medical care and has not been tested for all potential applications.

#### THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

The AMA and NCQA make no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications.

The Measure can be reproduced and distributed, without modification, for noncommercial purposes (e.g., use by healthcare providers in connection with their practices) without obtaining approval from NCQA. Commercial use is defined as the sale, licensing, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain. All commercial uses or requests for modification must be approved by NCQA and are subject to a license at the discretion of NCQA.


©2012-2023 National Committee for Quality Assurance. All Rights Reserved.

Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. The AMA and NCQA disclaim all liability for use or accuracy of any third party codes contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2023 American Medical Association. LOINC® copyright 2004-2023 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2023 International Health Terminology Standards Development Organisation. ICD-10 copyright 2023 World Health Organization. All Rights Reserved.

# 2024 Clinical Quality Measure Flow for Quality ID #48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.



# 

NOTE: Submission Frequency: Patient-Process

CPT only copyright 2023 American Medical Association. All rights reserved. The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

v8

<sup>\*</sup>See the posted measure specification for specific coding and instructions to submit this measure.

# 2024 Clinical Quality Measure Flow Narrative for Quality ID #48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 Years and Older

**Disclaimer**: Refer to the measure specification for specific coding and instructions to submit this measure.

- 1. Start with Denominator
- 2. Check All female patients aged greater than or equal to 65 years on date of encounter.
  - a. If All female patients aged greater than or equal to 65 years on date of encounter equals No, do not include in Eligible Population/Denominator. Stop processing.
  - b. If All female patients aged greater than or equal to 65 years on date of encounter equals Yes, proceed to Patient encounter during the performance period as listed in Denominator\*.
- 3. Check Patient encounter during performance period as listed in Denominator\*:
  - a. If Patient encounter during the performance period as listed in Denominator\* equals No, do not include in Eligible Population/Denominator. Stop processing.
  - b. If Patient encounter during the performance period as listed in Denominator\* equals Yes, proceed to Patient use of hospice services any time during the measurement period.
- 4. Check Patient use of hospice services any time during the measurement period:
  - a. If Patient use of hospice services any time during the measurement period equals No, include in Eligible Population/Denominator.
  - b. If *Patient use* of hospice services any time during the measurement period equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
- 5. Denominator Population:
  - Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as
    Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients
    in the Sample Calculation.
- 6. Start Numerator
- 7. Check Presence or absence of urinary incontinence assessed:
  - a. If Presence or absence of urinary incontinence assessed equals Yes, include in Data Completeness Met and Performance Met.
    - Data Completeness Met and Performance Met letter is represented as Data
       Completeness and Performance Rate in the Sample Calculation listed at the end of this
       document. Letter a equals 40 patients in the Sample Calculation.
  - b. If Presence or absence of urinary incontinence assessed equals No, proceed to Presence or absence of urinary incontinence not assessed, reason not otherwise specified.
- 8. Check Presence or absence of urinary incontinence not assessed, reason not otherwise specified:
  - a. If Presence or absence of urinary incontinence not assessed, reason not otherwise specified equals Yes, include in Data Completeness Met and Performance Not Met.

- Data Completeness Met and Performance Not Met letter is represented as Data
  Completeness in the Sample Calculation listed at the end of this document. Letter c equals
  30 patients in the Sample Calculation.
- b. If Presence or absence of urinary incontinence not assessed, reason not otherwise specified equals No, proceed to Data Completeness Not Met.
- 9. Check Data Completeness Not Met:
  - If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

## Sample Calculations:

Data Completeness equals Performance Met (a equals 40 patients) plus Performance Not Met (c equals 30 patients) divided by Eligible Population/Denominator (d equals 80 patients). All equals 70 patients divided by 80 patients. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 40 patients) divided by Data Completeness Numerator (70 patients). All equals 40 patients divided by 70 patients. All equals 57.14 percent.

\*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-Process

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.