# Quality ID #406: Appropriate Follow-up Imaging for Incidental Thyroid Nodules in Patients

- National Quality Strategy Domain: Effective Clinical Care
- Meaningful Measure Area: Appropriate Use of Healthcare

#### 2021 COLLECTION TYPE:

MIPS CLINICAL QUALITY MEASURES (CQMS)

#### **MEASURE TYPE:**

Process – High Priority

#### **DESCRIPTION:**

Percentage of final reports for computed tomography (CT), CT angiography (CTA) or magnetic resonance imaging (MRI) or magnetic resonance angiogram (MRA) studies of the chest or neck for patients aged 18 years and older with no known thyroid disease with a thyroid nodule < 1.0 cm noted incidentally with follow-up imaging recommended

## **INSTRUCTIONS:**

This measure is to be submitted <u>each time</u> a patient undergoes a computed tomography or magnetic resonance imaging with an incidental thyroid nodule finding during the performance period. There is no diagnosis associated with this measure. It is anticipated that Merit-based Incentive Payment System (MIPS) eligible clinicians who provide the professional component of diagnostic imaging studies for computed tomography or magnetic resonance imaging will submit this measure.

# Measure Submission Type:

Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

#### **DENOMINATOR:**

All final reports for CT, CTA, MRI or MRA studies of the chest or neck for patients aged 18 and older with an incidentally-detected thyroid nodule < 1.0 cm noted

**DENOMINATOR NOTE:** The intent of this measure is to ensure patients with incidental findings that are highly likely to be benign do not receive follow up imaging routinely. Denominator eligible patients would be those for whom an incidental thyroid nodule of < 1.0 is noted in the final report.

#### **Denominator Criteria (Eligible Cases):**

Patients aged ≥ 18 years on date of encounter

#### AND

**Patient encounter during the performance period (CPT):** 70486, 70487, 70488, 70490, 70491, 70492, 70498, 70540, 70542,70543, 70547, 70548, 70549, 71250, 71260, 71270, 71271, 71555, 72125, 72126, 72127, 71550, 71551, 71552, 72141, 72142, 72156

#### AND

Incidental Thyroid Nodule < 1.0 cm noted in report: G9552

#### **NUMERATOR:**

Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging recommended for reports with an incidentally-detected thyroid nodule < 1.0 cm noted

#### **Numerator Instructions:**

INVERSE MEASURE - A lower calculated performance rate for this measure indicates better clinical care or control. The "Performance Not Met" numerator option for this measure is the representation of the better clinical quality or control. Reporting that numerator option will produce a performance rate that trends closer to 0%, as quality increases. For inverse measures, a rate of 100% means all of the denominator eligible patients did not receive the appropriate care or were not in proper control.

**Numerator Options:** 

Performance Met: Final reports for CT, CTA, MRI or MRA of the chest or

neck with follow-up imaging recommended (G9554)

OR

Denominator Exception: Documentation of medical reason(s) for recommending

> follow-up imaging (e.g., patient has multiple endocrine neoplasia, patient has cervical lymphadenopathy, other

medical reason(s)) (G9555)

OR

Performance Not Met: Final reports for CT, CTA, MRI or MRA of the chest or

neck with follow-up imaging not recommended (G9556)

# **RATIONALE:**

Thyroid nodules are common, with estimates of prevalence as high as 50%. Desser and Kamaya found that the majority of incidentally noted thyroid nodules were benign with approximately 5% being malignant. Due to the common nature of small thyroid nodules combined with the low malignancy, nonpalpable nodules detected on US or other anatomic imaging studies are termed incidentally discovered nodules or "incidentalomas." Nonpalpable nodules have the same risk of malignancy as palpable nodules with the same size. Generally, only nodules >1 cm should be evaluated, since they have a greater potential to be clinically significant cancers. (ATA, 2009)

# **CLINICAL RECOMMENDATION STATEMENTS:**

In patients <35 years with an incidental thyroid nodule (ITN) detected on CT, MRI, or extrathyroidal ultrasound, the Committee recommends further evaluation with dedicated thyroid ultrasound if the nodule is ≥1 cm and has no suspicious imaging features, and if the patient has normal life expectancy.

In patients ≥35 years with an ITN detected on CT, MRI, or extrathyroidal ultrasound, the Committee recommends further evaluation with dedicated thyroid ultrasound if the nodule is ≥1.5 cm and has no suspicious imaging features, and if the patient has normal life expectancy. (ACR, 2014)

#### COPYRIGHT:

The Measure is not a clinical guideline, does not establish a standard of medical care, and has not been tested for all potential applications.

The Measure, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measure require a license agreement between the user and the American College of Radiology (ACR). Neither ACR nor its members shall be responsible for any use of the Measure.

The PCPI's and AMA's significant past efforts and contributions to the development and updating of the Measures are acknowledged. ACR is solely responsible for the review and enhancement ("Maintenance") of the Measure as of August 1, 2020.

ACR encourages use of the Measure by other health care professionals, where appropriate.

## THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.


©2020 American College of Radiology. All Rights Reserved. Applicable FARS/DFARS Restrictions Apply to Government Use.


Limited proprietary coding may be contained in the Measure specifications for convenience. A license agreement must be entered prior to a third party's use of Current Procedural Terminology (CPT®) or other proprietary code set contained in the Measures. Any other use of CPT or other coding by the third party is strictly prohibited. ACR and its members disclaim all liability for use or accuracy of any CPT or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2004-2020 American Medical Association. LOINC® copyright 2004-2020 Regenstrief Institute, Inc. SNOMED CLINICAL TERMS (SNOMED CT®) copyright 2004-2020. The International Health Terminology Standards Development Organisation (IHTSDO). ICD-10 is copyright 2020 World Health Organization. All Rights Reserved.

# 2021 Clinical Quality Measure Flow for Quality ID #406: Appropriate Follow-up Imaging for Incidental Thyroid Nodules In Patients

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.





<sup>\*</sup>See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Procedure

CPT only copyright 2020 American Medical Association. All rights reserved. The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

<sup>\*\*</sup>A lower calculated performance rate for this measure indicates better clinical care or control.

# 2021 Clinical Quality Measure Flow Narrative for Quality ID #406: Appropriate Follow-up Imaging for Incidental Thyroid Nodules in Patients

**Disclaimer:** Refer to the measure specification for specific coding and instructions to submit this measure.

- Start with Denominator
- 2. Check Patients aged greater than or equal to 18 years on date of encounter.
  - a. If Patients aged greater than or equal to 18 years on date of encounter equals No, do not include in Eligible Population/Denominator. Stop processing.
  - b. If Patients aged greater than or equal to 18 years on date of encounter equals Yes, proceed to check Patient encounter during the performance period as listed in the Denominator\*.
- 3. Check Patient encounter during the performance period as listed in the Denominator\*:
  - a. If *Patient encounter during the performance period as listed in the Denominator\** equals No, do not include in Eligible Population/Denominator. Stop processing.
  - b. If Patient encounter during the performance period as listed in the Denominator\* equals Yes, proceed to check Incidental Thyroid Nodule less than 1.0 cm noted in report:
- 4. Check Incidental Thyroid Nodule less than 1.0 cm noted in report:
  - a. If *Incidental Thyroid Nodule less than 1.0 cm noted in report* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Incidental Thyroid Nodule less than 1.0 cm noted in report* equals Yes, include in *Eligible Population/Denominator*.
- 5. Denominator population:
  - Denominator Population is all Eligible Procedures in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 procedures in the Sample Calculation.
- 6. Start Numerator
- 7. Check Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging recommended:
  - a. If Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging recommended equals Yes, include in Data Completeness Met and Performance Met.
    - Data Completeness Met and Performance Met\*\* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 procedures in the Sample Calculation.
  - b. If Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging recommended equals No, proceed to check Documentation of medical reason(s) for recommending follow-up imaging.
- 8. Check Documentation of medical reason(s) for recommending follow-up imaging:
  - a. If Documentation of medical reason(s) for recommending follow-up imaging equals Yes, include in Data Completeness Met and Denominator Exception.

- Data Completeness Met and Denominator Exception letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 10 procedures in the Sample Calculation.
- b. If Documentation of medical reason(s) for recommending follow-up imaging equals No, proceed to check Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging not recommended.
- Check Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging not recommended:
  - a. If Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging not recommended equals Yes, include in Data Completeness Met and Performance Not Met\*\*.
    - Data Completeness Met and Performance Not Met\*\* letter is represented in the Data
       Completeness in the Sample Calculation listed at the end of this document. Letter c equals
       20 procedures in the Sample Calculation.
  - b. If Final reports for CT, CTA, MRI or MRA of the chest or neck with follow-up imaging not recommended equals No, proceed to check Data Completeness Not Met.
- 10. Check Data Completeness Not Met:
  - a. If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 procedures have been subtracted from the Data Completeness Numerator in the Sample Calculation.

# **Sample Calculations**

Data Completeness equals Performance Met (a equals 40 procedures) plus Denominator Exception (b equals 10 procedures) plus Performance Not Met (c equals 20 procedures) divided by Eligible Population/Denominator (d equals 80 procedures). All equals 70 procedures divided by 80 procedures. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 40 procedures) divided by Data Completeness Numerator (70 procedures) minus Denominator Exception (b equals 10 procedures). All equals 40 procedures divided by 60 procedures. All equals 66.67 percent.

\*See the posted measure specification for specific coding and instructions to submit this measure.

\*\*A lower calculated performance rate for this measure indicates better clinical care or control.

NOTE: Submission Frequency: Procedure

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.