Quality ID #450 (NQF 1858): Appropriate Treatment for Patients with Stage I (T1c) – III HER2 Positive Breast Cancer – National Quality Strategy Domain: Effective Clinical Care – Meaningful Measure Area: Appropriate Use of Healthcare

2021 COLLECTION TYPE: MIPS CLINICAL QUALITY MEASURES (CQMS)

MEASURE TYPE:

Process – High Priority

DESCRIPTION:

Percentage of female patients aged 18 to 70 with stage I (T1c) – III HER2 positive breast cancer for whom appropriate treatment is initiated

INSTRUCTIONS:

This measure is to be submitted a minimum of <u>once per performance period</u> for patients with breast cancer seen during the performance period. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

NOTE: Patient encounters for this measure conducted via telehealth (e.g., encounters coded with GQ, GT, 95, or POS 02 modifiers) are allowable.

Measure Submission Type:

Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

DENOMINATOR:

All female breast cancer patients aged 18 to 70 with stage I (T1c) - III HER2 positive breast cancer

Definitions:

Use the 2018 ASCO/CAP guideline definitions to determine HER2 status-HER2 Positive:

- If result is IHC 3+ based on circumferential membrane staining that is complete, intense and in >10% of the invasive tumor cells
- If result is ISH positive based on:
 - Single-probe average HER2 copy number \geq 6.0 signals/cell
 - Dual-probe HER2/CEP17 ratio \geq 2. 0 with an average HER2 copy number \geq 4.0 signals/cell
 - Dual-probe HER2/CEP17 ratio < 2. 0 with an average HER2 copy number = 6.0 signals/cell

HER2 Equivocal:

- If result is IHC 2+ based on circumferential membrane staining that is incomplete and/or weak/moderate and within > 10% of the invasive tumor cells
- If result is ISH equivocal based on:
 - Single-probe ISH average HER2 copy number ≥ 4.0 and < 6.0 signals/cell
 - Dual-probe HER2/CEP17 ratio < 2. 0 with an average HER2 copy number ≥4.0 and < 6.0 signals/cell

HER2 Negative:

- If result is IHC 1+ based on incomplete membrane staining that is faint/barely perceptible and in > 10% of the invasive tumor cells
- If result is IHC 0 based on no staining observed or membrane staining that is incomplete and is faint/barely perceptible and in ≤ 10% of the invasive tumor cells
- ISH negative based on:
 - Single-probe average HER2 copy number < 4.0 signals/cell
 - Dual-probe HER2/CEP17 ratio < 2. 0 with an average HER2 copy number < 4.0 signals/cell

HER2 Indeterminate:

Report HER2 test result as indeterminate if technical issues prevent one or both tests (IHC and ISH) from being reported as positive, negative, or equivocal.

Conditions may include:

- Inadequate specimen handling
- Artifacts (crush or edge artifacts) that make interpretation difficult
- Analytic testing failure.

Denominator Criteria (Eligible Cases):

Female Patients age 18-70 years on date of encounter

<u>and</u>

Diagnosis of breast cancer (ICD-10-CM): C50.011, C50.012, C50.019, C50.111, C50.112, C50.119, C50.211, C50.212, C50.219, C50.311, C50.312, C50.319, C50.411, C50.412, C50.419, C50.511, C50.512, C50.519, C50.611, C50.612, C50.619, C50.811, C50.812, C50.819, C50.911, C50.912, C50.919

<u>AND</u>

Patient encounter during performance period (CPT): 99202, 99203, 99204, 99205, 99212, 99213, 99214, 99215

<u>and</u>

Two or more encounters at the reporting site

<u>AND</u>

HER-2/neu positive: G9830

AND

AJCC stage at breast cancer diagnosis = II or III: G9831

<u> 0R</u>

AJCC stage at breast cancer diagnosis = I (IA or IB) and T-Stage at breast cancer diagnosis does NOT equal = T1, T1a, T1b: G9832

AND NOT

DENOMINATOR EXCLUSIONS:

Patients with pregnancy during adjuvant treatment course: G2205

NUMERATOR:

Patients whose adjuvant treatment course includes both chemotherapy and HER2-targeted therapy

NUMERATOR NOTE: The quality action of this measure is the appropriateness of treatment rather than timeliness of treatment. The timing of administration of HER2-targeted therapies is expected to vary depending on the cytotoxic agents used. The numerator statement is intended to capture an adjuvant treatment course that includes both chemotherapy and HER2-targeted therapy, independent of possible administration sequences. Adjuvant chemotherapy is defined as a chemotherapy regimen initiated within six months of cancer diagnosis. An FDA-approved trastuzumab biosimilar is an appropriate substitute for trastuzumab.

Numerator Options:

<u>OR</u>	Performance Met:	Patient received adjuvant treatment course including both chemotherapy and HER2-targeted therapy (G2206)
OR	Denominator Exception:	Reason for not administering adjuvant treatment course including both chemotherapy and HER2-targeted therapy (e.g. poor performance status (ECOG 3-4; Karnofsky ≤50), cardiac contraindications, insufficient renal function, insufficient hepatic function, other active or secondary cancer diagnoses, other medical contraindications, patients who died during initial treatment course or transferred during or after initial treatment course) (G2207)
	Performance Not Met:	Patient did not receive adjuvant treatment course including both chemotherapy and HER2-targeted therapy (G2208)

RATIONALE:

Approximately 15% of patients with breast cancer have tumors that overexpress the human epidermal growth hormone receptor protein (HER2). The American Society of Clinical Oncology (ASCO) envisions that use of this measure will improve concordance with recommendations for the use of HER2-targeted therapy with chemotherapy for patients with stage I (T1c) – III, HER2 positive breast cancer. We recognize the importance of ensuring that the appropriate patient population receives guideline concordant treatment as studies have shown that the administration of HER2-targeted therapies significantly improves overall survival in patients with high-risk HER2 positive breast cancer.

CLINICAL RECOMMENDATION STATEMENTS:

NCCN Recommendation for Adjuvant HER2-Targeted Therapy

The panel has designated use of trastuzumab with chemotherapy as a category 1 recommendation in patients with HER2-positive tumors greater than 1 cm.

References:

- Gradishar WJ, Anderson BO, Abraham J, et al. NCCN Guidelines Panel. NCCN Clinical Practice Guidelines in Oncology – Breast Cancer. Version 3. 2019. September 6, 2019. <u>https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf</u>
- Wolff AC, Hammond MEH, Allison KH, Harvey BE, Mangu PB, Bartlett JMS, et al. Human Epidermal Growth Factor Receptor 2 Testing in Breast Cancer: American Society of Clinical Oncology/College of American Pathologists Clinical Practice Guideline Focused Update. J Clin Oncol. 2018 Jul 10; 36(20):2105-2122.

COPYRIGHT:

The Measure is not clinical guidelines, does not establish a standard of medical care, and has not been tested for all potential applications.

The Measure, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain.

Commercial uses of the Measure require a license agreement between the user and the American Society of Clinical

Oncology (ASCO) and prior written approval of ASCO. Neither ASCO nor its members shall be responsible for any use of the Measures.

ASCO encourages use of the Measures by other health care professionals, where appropriate.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.


© 2021 American Society of Clinical Oncology. All Rights Reserved.

Limited proprietary coding is contained in the Measure specification for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. ASCO and its members disclaim all liability for use or accuracy of any Current Procedural Terminology (CPT®) or other coding contained in the specification.


CPT® contained in the Measures specifications is copyright 2004-2020 American Medical Association. ICD-10 is copyright 2020 World Health Organization. LOINC® copyright 2004-2020 Regenstrief Institute, Inc. SNOMED CLINICAL TERMS (SNOMED CT®) copyright 2004-2020 College of American Pathologists. All Rights Reserved.


2021 Clinical Quality Measure Flow for Quality ID #450 (NQF 1858): Appropriate Treatment for Patients with Stage I (T1c) – III HER2 Positive Breast Cancer

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.



Version 5.0 November 2020 CPT only copyright 2020 American Medical Association. All rights reserved. Page 5 of 9





Data Completeness=
Performance Met (a=40 patients) + Denominator Exception (b=0 patients) + Performance Not Met (c=30 patients) = 70 patients = 87.50%
Eligible Population / Denominator (d=80 patients) = 80 patients
Performance Rate=
Performance Met (a=40 patients) = 40 patients = 57.14%
Data Completeness Numerator (70 patients) – Denominator Exception (b=0 patients) = 70 patients

*See the posted measure specification for specific coding and instructions to submit this measure. NOTE: Submission Frequency: Patient-Intermediate

CPT only copyright 2020 American Medical Association. All rights reserved. The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification. v5

2021 Clinical Quality Measure Flow Narrative for Quality ID #450 (NQF 1858): Appropriate Treatment for Patients with Stage I (T1c) – III HER2 Positive Breast Cancer

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.

- 1. Start with Denominator
- 2. Check Female patients age 18-70 years on date of encounter.
 - a. If *Female patients age 18-70 years on date of encounter* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If Female patients age 18-70 years on date of encounter equals Yes, proceed to check Diagnosis of breast cancer as listed in Denominator*.
- 3. Check Diagnosis of breast cancer as listed in Denominator*:
 - a. If *Diagnosis* of breast cancer as listed in Denominator* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If Diagnosis of breast cancer as listed in Denominator* equals Yes, proceed to check Patient encounter during performance period as listed in Denominator*.
- 4. Check Patient encounter during performance period as listed in Denominator*:
 - a. If *Patient encounter during performance period as listed in Denominator** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If Patient encounter during performance period as listed in Denominator* equals Yes, proceed to check Two or more encounters at the reporting site.
- 5. Check Patient encounter during performance period as listed in Denominator*:
 - a. If *Patient encounter during performance period as listed in Denominator** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient encounter during performance period as listed in Denominator** equals Yes, proceed to check *HER-2/neu positive*.
- 6. Check *HER-2/neu positive*:
 - a. If HER-2/neu positive equals No, do not include in Eligible Population/Denominator. Stop processing.
 - b. If HER-2/neu positive equals Yes, proceed to check AJCC stage at breast cancer diagnosis = II or III.
- 7. Check AJCC stage at breast cancer diagnosis = II or III:
 - a. If AJCC stage at breast cancer diagnosis = II or III equals No, proceed to check AJCC stage at breast cancer diagnosis = I (IA or IB) and T-Stage at breast cancer diagnosis does NOT equal = T1, T1a, T1b.
 - b. If AJCC stage at breast cancer diagnosis = II or III equals Yes, proceed to check Patients with pregnancy during adjuvant treatment course.
- 8. Check AJCC stage at breast cancer diagnosis = I (IA or IB) and T-Stage at breast cancer diagnosis does NOT equal = T1, T1a, T1b.

- a. If AJCC stage at breast cancer diagnosis = I (IA or IB) and T-Stage at breast cancer diagnosis does NOT equal = T1, T1a, T1b equals No, do not include in *Eligible Population/Denominator*. Stop processing.
- b. If AJCC stage at breast cancer diagnosis = I (IA or IB) and T-Stage at breast cancer diagnosis does NOT equal = T1, T1a, T1b equals Yes, proceed to check Patients with pregnancy during adjuvant treatment course.
- 9. Check Patients with pregnancy during adjuvant treatment course:
 - a. If Patients with pregnancy during adjuvant treatment course equals No, include in Eligible Population/Denominator.
 - b. If *Patients with pregnancy during adjuvant treatment course* equals Yes, do not include in *Eligible Population/Denominator*. Stop Processing.
- 10. Start Numerator
- 11. Check Patient received adjuvant treatment course including both chemotherapy and HER2-targeted therapy:
 - a. If Patient received adjuvant treatment course including both chemotherapy and HER2-targeted therapy equals Yes, include in Data Completeness Met and Performance Met.
 - Data Completeness Met and Performance Met letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 40 patients in the Sample Calculation.
 - b. If Patient received adjuvant treatment course including both chemotherapy and HER2-targeted therapy equals No, proceed to check Reason for not administering adjuvant treatment course including both chemotherapy and HER2-targeted therapy.
- 12. Check Reason for not administering adjuvant treatment course including both chemotherapy and HER2-targeted therapy:
 - a. If Reason for not administering adjuvant treatment course including both chemotherapy and HER2targeted therapy equals Yes, include in Data Completeness Met and Denominator Exception.
 - Data Completeness Met and Denominator Exception letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 0 patients in the Sample Calculation.
 - b. If Reason for not administering adjuvant treatment course including both chemotherapy and HER2targeted therapy equals No, proceed to check Patient did not receive adjuvant treatment course including both chemotherapy and HER2-targeted therapy.
- 13. Check Patient did not receive adjuvant treatment course including both chemotherapy and HER2-targeted therapy:
 - a. If Patient did not receive adjuvant treatment course including both chemotherapy and HER2-targeted therapy equals Yes, include in Data Completeness Met and Performance Not Met.
 - Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 30 patients in the Sample Calculation.

- b. If Patient did not receive adjuvant treatment course including both chemotherapy and HER2targeted therapy equals No, proceed to check Data Completeness Not Met.
- 14. Check Data Completeness Not Met:
 - a. If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation.

Sample Calculations

Data Completeness equals Performance Met (a equals 40 patients) plus Denominator Exception (b equals 0 patients) plus Performance Not Met (c equals 30 patients) divided by Eligible Population / Denominator (d equals 80 patients). All equals 70 patients divided by 80 patients. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 40 patients) divided by Data Completeness Numerator (70 patients) minus Denominator Exception (b equals 0 patients). All equals 40 patients divided by 70 patients. All equals 57.14 percent.

*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-Intermediate

CPT only copyright 2020 American Medical Association. All rights reserved.

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.